


# ATLANTIS<sup>®</sup>

INDIA'S TRUSTED  
BOTTLED WATER  
DISPENSERS



PRODUCT  
CATALOGUE

 ATLANTIS®  
The ATLANTIS logo is positioned in the top left corner, featuring the brand name in a white, serif font with a registered trademark symbol. It is set against a dark blue circular background that overlaps with a dynamic splash of water.

## ABOUT US

Welcome to the world of **ATLANTIS**, India's trusted name for Bottled Water Dispensers, Hot Beverage Dispensers, and Instant Beverage Premixes.

We have over **25 YEARS** of manufacturing experience in this industry and have launched a wide range of innovative and customer friendly products.

Our manufacturing facility is ISO 9001:2015 certified which is located in the integrated industrial estate of SIDCUL, Pantnagar (Uttarakhand). Our Hot Beverage Dispensers and Bottled Water Dispensers are CE/CB certified.

Known for Quality, Reliability and Durability, our products are being used by millions of satisfied customers, serviced by our nationwide network of offices and channel partners.

**CHOOSE FROM OUR WIDE RANGE, OF MODELS AND SELECT THE ONE THAT BEST SUITS YOUR REQUIREMENT.**

So, go ahead, and **Complete your office with ATLANTIS !**

---

CE

CB



# ATLANTIS<sup>®</sup>

WIDE RANGE OF WATER DISPENSERS  
WITH COOLING CAPACITY FROM 2 TO 10 LTR. PER HOUR



Models	Blue - Model 24		Sky- Model 25			One - Model 27		
	Floor Standing (Hot & Cold)	Floor Standing (Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Cooling Cabinet (Hot, Normal & Cold)	Table Top (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Cooling Cabinet (Hot, Normal & Cold)	Table Top (Hot, Normal & Cold)
<b>STRUCTURE</b>								
Body	Powder Coated/ Pre Coated							
Front portion	Moulded ABS							
Nos. Of Faucet	2	2	3	3	3	3	3	3
RO Mounting Option	No	No	No	No	No	No	No	No
Cold Tank Material	SS 304							
Cold Tank Storage Capacity (Litres)	3.50							
Hot Tank Material	SS 304							
Hot Tank Storage Capacity (Litres)	0.90	-	0.90	0.90	0.90	0.90	0.90	0.90
<b>TECHNICAL SPECIFICATIONS</b>								
Power Source	230V, 50/60 Hz, 1Ph							
Condenser Type	Static							
Refrigerant	R134a							
Cooling Capacity (Litres/hr)	3.0	3.0	3.0	2.5	2.0	3.0	2.5	2.0
Refrigerator Capacity (Litres)	----	----	----	18	----	----	18	----
Refrigeration Control	Thermostat							
Heating Capacity (Litres/hr)	5	----	5					
Heating Control	Dual Thermostat - Automatic and Manual resetting		Dual Thermostat - Automatic and Manual resetting					
<b>ELECTRICAL SPECIFICATIONS</b>								
Power - Cooling (W)	110	110	110	150	125	110	150	125
Power - Heating (W)	540	540						
Climate Condition	*T <sup>o</sup> Class							
<b>UNIT SPECIFICATIONS</b>								
Unit Dimensions (mm) ( W x D x H )	315 x 335 x 970	315 x 335 x 970	315 x 335 x 970	315 x 335 x 970	315 x 335 x 490	315 x 335 x 990	315 x 335 x 990	315 x 345 x 530
Package Dimensions (mm) ( W x D x H )	332 x 340 x 995	332 x 340 x 995	332 x 340 x 995	332 x 340 x 995	332 x 340 x 540	332 x 340 x 1040	332 x 340 x 1040	332 x 340 x 575
Net Weight (Kg)	12.1	11.8	12.2	15.9	10.2	12.3	16.3	10.6
Gross Weight (Kg)	13.8	13.6	13.9	17.6	11.2	14.2	18.2	11.7

Models	Prime- Model 28			Airress Model 31	Frosty Plus Model 25	Big Plus -Model 30	Jumbo Plus-Model 30	Super-Model S3
	Floor Standing (Hot, Normal & Cold)	Cooling Cabinet (Hot, Normal & Cold)	Table Top (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)	Floor Standing (Hot, Normal & Cold)
<b>STRUCTURE</b>								
Body	Powder Coated/ Pre Coated							
Front Portion	Moulded ABS							
No. of Faucet	3							
RO Mounting Option	Yes*	No	No	No	No	Yes	No	No
Cold Tank Material	SS 304			SS 304		Plastic (PP)		
Cold Tank Storage Capacity (Litres)	3.50	3.50	3.50	3.50	3.50	8.00		15.00
Hot Tank Material	SS 304							
Hot Tank Storage Capacity (Litres)	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
<b>TECHNICAL SPECIFICATIONS</b>								
Power Source	230V, 50/60 Hz, 1Ph							
Condenser Type	Static	Static	Static	Static	Static	Static	Fan Cooled	Fan Cooled
Refrigerant	R134A							
Cooling Capacity (Litres/hr)	3.0	2.5	2.0	3.0	5.0	5.0	10.0	10.0
Refrigerator Capacity (Litres)	----	18	----	----	----	----	----	----
Refrigeration Control	Thermostat							
Heating Capacity (Litres/hr)	5							
Heating Control	Dual Thermostat - Automatic and Manual resetting							
<b>ELECTRICAL SPECIFICATIONS</b>								
Power - Cooling (W)	110	150	125	110	150	150	210	210
Power - Heating (W)	540							
Climate Condition	*T <sup>o</sup> Class							
<b>UNIT SPECIFICATIONS</b>								
Unit Dimensions (mm)	315 x 345 x 1005	315 x 345 x 1005	315 x 345 x 525	315 x 345 x 1005	315 x 335 x 970	315 x 345 x 1125	315 x 345 x 1125	412 x 419 x 1180
Package Dimensions (mm) ( W x D x H )	332 x 340 x 1040	332 x 340 x 1040	332 x 340 x 575	332 x 340 x 1040	332 x 340 x 995	366 x 405 x 1170	366 x 405 x 1170	385 x 356 x 1140
Net Weight (Kg)	12.5	16.3	10.7	14.2	13.6	15.9	19.5	24.4
Gross Weight (Kg)	14.3	18.1	11.7	16.1	15.4	18.5	22.0	27.0



**VENDING UPDATES INDIA PVT LTD**

Plot No. 35, Sector 155, Noida, District  
Gautam Budh Nagar, UP-201310, India.

[www.atlantisplus.com](http://www.atlantisplus.com)